CONTENTS

PART 1 JULY 2006

TRIPATHI, R., JEFFORD, C. W. and DUTTA, G. P. Blood schizontocidal activity of selected 1,2,4-trioxanes (Fenozans) against the multidrug-resistant strain of *Plasmodium yoelii nigeriensis* (MDR) *in vivo* 1

REFARDT, D. and EBERT, D. Quantitative PCR to detect, discriminate and quantify intracellular parasites in their host: an example from three microsporidians in *Daphnia* 11

VAN POPPEL, N. F. J., WELAGEN, J., VERMEULEN, A. N. and SCHAAP, D. The complete set of *Toxoplasma gondii* ribosomal protein genes contains two conserved promoter elements 19

OLSTAD, K., CABLE, J., ROBERTSEN, G. and BAKKE, T. A. Unpredicted transmission strategy of *Gyrodactylus salaris* (Monogenea: Gyrodactylidae): survival and infectivity of parasites on dead hosts 33

ŠIMKOVÁ, A., MATĚJUSOVÁ, I. and CUNNINGHAM, C. O. A molecular phylogeny of the Dactylogyridae *sensu* Kritsky and Boeger (1989) (Monogenea) based on the D1–D3 domains of large subunit of rDNA 43

GLENNON, V., CHISHOLM, L. A. and WHITTINGTON, I. D. Three unrelated species, 3 sites, same host – monogenean parasites of the southern fiddler ray, *Trygonorrhina fasciata*, in South Australia: egg hatching strategies and larval behaviour 55

MENDONÇA-SILVA, D. L., NOVOZHILOVA, E., COBBETT, P. J. R., SILVA, C. L. M., NOËL, F., TOTTEN, M. I. J., MAULE, A. G. and DAY, T. A. Role of calcium influx through voltage-operated calcium channels and of calcium mobilization in the physiology of *Schistosoma mansoni* muscle contractions 67

DE SOUZA, E. M., MENNA-BARRETO, R., ARAÚJO-JORGE, T. C., KUMAR, A., HU, Q., BOYKIN, D. W. and SOEIRO, M. N. C. Antiparasitic activity of aromatic diamidines is related to apoptosis-like death in *Trypanosoma cruzi* 75

KRASNOV, B. R., MORAND, S., MOUILLOT, D., SHENBROT, G. I., KHOKHLOVA, I. S. and POULIN, R. Resource predictability and host specificity in fleas: the effect of host body mass 81

HÖGLUND, J., MORRISON, D. A., MATTSSON, J. G. and ENGSTRÖM, A. Population genetics of the bovine/cattle lungworm (*Dictyocaulus viviparus*) based on mtDNA and AFLP marker techniques 89

PION, S. D. S., FILIPE, J. A. N., KAMGNO, J., GARDON, J., BASÁÑEZ, M.-G. and BOUSSINESQ, M. Microfilarial distribution of *Loa loa* in the human host: population dynamics and epidemiological implications 101

CABLE, J., HARRIS, P. D., LEWIS, J. W. and BEHNKE, J. M. Molecular evidence that *Heligmosomoides polygyrus* from laboratory mice and wood mice are separate species 111

JEX, A. R., HU, M., ROSE, H. A., SCHNEIDER, M., CRIBB, T. H. and GASSER, R. B. Molecular characterization of Thelastomatoidea (Nematoda: Oxyurida) from cockroaches in Australia 123

PART 2 AUGUST 2006

WIDMER, G., YANG, Y. L., BONILLA, R., TANRIVERDI, S. and CIOCIOLA, K. M. Preferential infection of dividing cells by *Cryptosporidium parvum* 131

VON ALLMEN, N., CHRISTEN, S., FORSTER, U., GOTTSTEIN, B., WELLE, M. and MÜLLER, N. Acute trichinellosis increases susceptibility to *Giardia lamblia* infection in the mouse model 139

MONRAD, J., SÖRÉN, K., JOHANSEN, M. V., LINDBERG, R. and ORNBJERG, N. Treatment efficacy and regulatory host responses in chronic experimental *Schistosoma bovis* infection in goats 151

CORTEZ, A. P., VENTURA, R. M., RODRIGUES, A. C., BATISTA, J. S., PAIVA, F., AÑEZ, N., MACHADO, R. Z., GIBSON, W. C. and TEIXEIRA, M. M. G. The taxonomic and phylogenetic relationships of *Trypanosoma vivax* from South America and Africa 159

MELO, T. G., ALMEIDA, D. S., MEIRELLES, M. N. S. L. and PEREIRA, M. C. S. Disarray of sarcomeric alpha-actinin in cardiomyocytes infected by *Trypanosoma cruzi* 171

VALERA, F., CASAS-CRIVILLÉ, A. and CALERO-TORRALBO, M. A. Prolonged diapause in the ectoparasite *Carnus hemapterus* (Diptera: Cyclorrhapha, Acalyptratae) – how frequent is it in parasites? 179

HAWLENA, H., KHOKHLOVA, I. S., ABRAMSKY, A. and KRASNOV, B. R. Age, intensity of infection by flea parasites and body mass loss in a rodent host 187

McCONVILLE, M., BRENNAN, G. P., McCOY, M., CASTILLO, R., HERNANDEZ-CAMPOS, A., IBARRA, F. and FAIRWEATHER, I. Adult triclabendazole-resistant *Fasciola hepatica*: surface and subsurface tegumental responses to *in vitro* treatment with the sulphoxide metabolite of the experimental fasciolicide compound alpha 195

WALKER, S. M., HOEY, E., FLETCHER, H., BRENNAN, G., FAIRWEATHER, I. and TRUDGETT, A. Stage-specific differences in fecundity over the life-cycle of two characterized isolates of the liver fluke, *Fasciola hepatica* 209

PANKOV, P., WEBSTER, B. L., BLASCO-COSTA, I., GIBSON, D. I., LITTLEWOOD, D. T. J., BALBUENA, J. A. and KOSTADINOVA, A. *Robinia aurata* n.g., n.sp. (Digenea: Hemiuridae) from the mugilid *Liza aurata* with a molecular confirmation of its position within the Hemiuroidea 217

KARVONEN, A., TERHO, P., SEPPÄLÄ, O., JOKELA, J. and VALTONEN, E. T. Ecological divergence of closely related *Diplostomum* (Trematoda) parasites 229

OLIVER, E. M., SKUCE, P. J., McNAIR, C. M. and KNOX, D. P. Identification and characterization of an asparaginyl proteinase (legumain) from the parasitic nematode, *Haemonchus contortus* 237

POINAR, G. JR. and BOUCOT, A. J. Evidence of intestinal parasites of dinosaurs 245

VILLANÚA, D., PÉREZ-RODRÍGUEZ, L., GORTÁZAR, C., HÖFLE, U. and VIÑUELA, J. Avoiding bias in parasite excretion estimates: the effect of sampling time and and type of faeces 251

PART 3 SEPTEMBER 2006

REVIEW ARTICLE

HEMPHILL, A., VONLAUFEN, N. and NAGULESWARAN, A. Cellular and immunological basis of the host–parasite relationship during infection with *Neospora caninum* 261

MARTINSEN, E. S., PAPERNA, I. and SCHALL, J. J. Morphological versus molecular identification of avian Haemosporidia: an exploration of three species concepts 279

OKUBO, K., WILAWAN, P., BORK, S., OKAMURA, M., YOKOYAMA, N. and IGARASHI, I. Calcium-ions are involved in erythrocyte invasion by enquine *Babesia* parasites 289

MEJER, H. and ROEPSTORFF, A. *Oesophagostomum dentatum* and *Trichuris suis* infections in pigs born and raised on contaminated paddocks 295

MEJER, H. and ROEPSTORFF, A. *Ascaris suum* infections in pigs born and raised on contaminated paddocks 305

PRUGNOLLE, F., DE MEEÛS, T., POINTIER, J. P., DURAND, P., ROGNON, A. and THÉRON, A. Geographical variations in infectivity and susceptibility in the host–parasite system *Schistosoma mansoni/Biomphalaria glabrata*: no evidence for local adaptation 313

BAHIA, D., AVELAR, L. G. A., VIGOROSI, F., CIOLI, D., OLIVEIRA, G. C. and MORTARA, R. A. The distribution of motor proteins in the muscles and flame cells of the *Schistosoma mansoni* miracidium and primary sporocyst 321

MASUMU, J., MARCOTTY, T., NDELEDJE, N., KUBI, C., GEERTS, S., VERCRUYSSE, J., DORNY, P. and VAN DEN BOSSCHE, P. Comparison of the transmissibility of *Trypanosoma congolense* strains, isolated in a trypanosomiasis endemic area of eastern Zambia, by *Glossina morsitans moristans* 331

GONZÁLEZ, M. T. and OLIVA, M. E. Similarity and structure of the ectoparasite communities of rockfish species from the southern Chilean coast in a temporal scale 335

GABA, S., CABARET, J., GINOT, V. and SILVESTRE, A. The early drug selection of nematodes to anthelmintics: stochastic transmission and population in refuge 345

NEWLANDS, G. F. J., SKUCE, P. J., NISBET, A. J., REDMOND, D. L., SMITH, S. K., PETTIT, D. and SMITH, W. D. Molecular characterization of a family of metalloendopeptidases from the intestinal brush border of *Haemonchus contortus* 357

AZNAR, F. J., FOGNANI, P., BALBUENA, J. A., PIETROBELLI, M. and RAGA, J. A. Distribution of *Pholeter gastrophilus* (Digenea) within the stomach of four odontocete species: the role of the diet and digestive physiology of hosts 369

MATTHEWS, J. B., LAZARI, O., DAVIDSON, A. J., WARREN, S. and SELKIRK, M. E. A tryptophan amphiphilic tetramerization domain-containing acetylcholinesterase from the bovine lungworm, *Dictyocaulus viviparus* 381

PART 4 OCTOBER 2006

REVIEW ARTICLE

SUNTORNTHITICHAROEN, P., PETMITR, S. and CHAVALITSHEWINKOON-PETMITR, P. Purification and characterization of a novel 3′-5′ DNA helicase from *Plasmodium falciparum* and its sensitivity to anthracycline antibiotics 389

MI-ICHI, F., KITA, K. and MITAMURA, T. Intraerythrocytic *Plasmodium falciparum* utilize a broad range of serum-derived fatty acids with limited modification for their growth 399

HAAG, K. L., GOTTSTEIN, B., MÜLLER, N., SCHNORR, A. and AYALA, F. J. Redundancy and recombination in the *Echinococcus* AgB multigene family: is there any similarity with protozoan contingency genes? 411

BARTLEY, P. M., WRIGHT, S., SALES, J., CHIANINI, F., BUXTON, D. and INNES, E. A. Long-term passage of tachyzoites in tissue culture can attenuate virulence of *Neospora caninum in vivo* 421

QUIROGA, M. I., REDONDO, M. J., SITJÀ-BOBADILLA, A., PALENZUELA, O., RIAZA, A., MACÍAS, A., VÁZQUEZ, S., PEREZ, A., NIETO, J. M. and ALVAREZ-PELLITERO, P. Risk factors associated with *Enteromyxum scophthalmi* (Myxozoa) infection in cultured turbot, *Scophthalmus maximus* (L.) 433

SORENSEN, R. E., RODRIGUES, N. B., OLIVEIRA, G., ROMANHA, A. J. and MINCHELLA, D. J. Genetic filtering and optimal sampling of *Schistosoma mansoni* populations 443

VALERO, M. A., DE RENZI, M., PANOVA, M., GARCIA-BODELON, M. A., PERIAGO, M. V., ORDOÑEZ, D. and MAS-COMA, S. Crowding effect on adult growth, pre-patent period and egg shedding of *Fasciola hepatica* 453

IRVINE, R. J., CORBISHLEY, H., PILKINGTON, J. G. and ALBON, S. D. Low-level parasitic worm burdens may reduce body condition in free-ranging red deer (*Cervus elaphus*) 465

VINEY, M. E., STEER, M. D. and WILKES, C. P. The reversibility of constraints on size and fecundity in the parasitic nematode *Strongyloides ratti* 477

CRAIG, B. H., PILKINGTON, J. G. and PEMBERTON, J. M. Gastrointestinal nematode species burdens and host mortality in a feral sheep population 485

ISLAM, M. K., MIYOSHI, T., YAMADA, M., ALIM, M. A., HUANG, X., MOTOBU, M. and TSUJI, N. Fluoride exposure inhibits protein expression and enzyme activity in the lung-stage larvae of *Ascaris suum* 497

KÁDÁR, E. and AZEVEDO, C. Unidentified extracellular prokaryotes within the byssal threads of the deep-sea vent mussel *Bathymodiolus azoricus* 509

NISBET, A. J., MACKELLAR, A., WRIGHT, H. W., BRENNAN, G. P., CHUA, K. Y., CHEONG, N., THOMAS, J. E. and HUNTLEY, J. F. Molecular characterization, expression and localization to tropomyosin and paramyosin immunodominant allergens from sheep scab mites (*Psoroptes ovis*) 515

DVD REVIEW 524

PART 5 NOVEMBER 2006

SKALLOVÁ, A., KODYM, P., FRYNTA, D. and FLEGR, J. The role of dopamine in *Toxoplasma*-induced behavioural alterations in mice: an ethological and ethopharmacological study 525

YURCHENKO, V. Y., LUKEŠ, J., JIRKŮ, M., ZELEDÓN, R. and MASLOV, D. A. *Leptomonas costaricensis* sp. n. (Kinetoplastea: Trypanosomatidae), a member of the novel phylogenetic group of insect trypanosomatids closely related to the genus *Leishmania* 537

HESS, M., KOLBE, T., GRABENSTEINER, E. and PROSL, H. Clonal cultures of *Histomonas meleagridis*, *Tetratrichomonas gallinarum* and a *Blastocystis* sp. established through micromanipulation 547

AL-ADHAMI, B. H., NICHOLS, R. A. B., KUSEL, J. R., O'GRADY, J. and SMITH, H. V. *Cryptosporidium parvum* sporozoites contain glutathione 555

LAVIKAINEN, A., LEHTINEN, M. J., LAAKSONEN, S., ÅGREN, E., OKASANEN, A. and MERI, S. Molecular characterization of *Echinococcus* isolates of cervid origin from Finland and Sweden 565

BART, J. M., ABDUKADER, M., ZHANG, Y. L., LIN, R. Y., WANG, Y. H., NAKAO, M., ITO, A., CRAIG, P. S., PIARROUX, R., VUITTON, D. A. and WEN, H. Genotyping of human cystic echinococcosis in Xinjiang, PR China 571

SANDOVAL, N., SILES-LUCAS, M., PÉREZ-ARELLANO, J. L., CARRANZA, C., PUENTE, S., LÓPEZ-ABÁN, J. and MURO, A. A new PCR-based approach for the specific amplification of DNA from different *Schistosoma* species applicable to human urine samples 581

SCHWAB, A. E., CHURCHER, T. S., SCHWAB, A. J., BASÁÑEZ, M.-G. and PRICHARD, R. K. Population genetics for concurrent selection with albendazole and ivermectin and diethylcarbamazine on the possible spread of albendazole resistance in *Wuchereria bancrofti* 589

LISBOA, C. V., MANGIA, R. H., LUZ, S. L. B., KLUCZKOVSKI, A. JR., FERREIRA, L. F., RIBEIRO, C. T., FERNANDES, O. and JANSEN, A. M. Stable infection of primates with *Trypanosoma cruzi* I and II 603

TRAN, T., CLAES, F., DUJARDIN, J. C. and BUSCHER, P. The invariant surface glycoprotein ISG75 gene family consists of two main groups in the *Trypanozoon* subgenus 613

TASKINEN, J. and SAARINEN, M. Burrowing behaviour affects *Paraergasilus rylovi* abundance in *Anodonta piscinalis* 623

PONTON, F., LEBARBENCHON, C., LEFÈVRE, T., THOMAS, F., DUNEAU, D., MARCHÈ, L., RENAULT, L., HUGHES, D. P. and BIRON, D. G. Hairworm anti-predator strategy: a study of causes and consequences 631

HANSEN, H., MARTINSEN, L., BAKKE, T. A. and BACHMANN, L. The incongruence of nuclear and mitochondrial DNA variation supports conspecificity of the monogenean parasites *Gyrodactylus salaris* and *G. thymalli* 639

PENG, W., YUAN, K., HU, M., PENG, G., ZHOU, X., HU, N. and GASSER, R. B. Experimental infections of pigs and mice with selected genotypes of *Ascaris* 651

BOOK REVIEW 659

PART 6 DECEMBER 2006

GOMEZ, A., SUAREZ, C. F., MARTINEZ, P., SARAVIA, C. and PATARROYO, M. A. High polymorphism in *Plasmodium vivax* merozoite surface protein-5 (MSP5) 661

LONG, G. H., CHAN, B. H. K., ALLEN, J. E., READ, A. F. and GRAHAM, A. L. Parasite genetic diversity does not influence TNF-mediated effects on the virulence of primary rodent malaria infections 673

BENTZ, S., RIGAND, T., BARROCA, M., MARTIN-LAURENT, F., BRU, D., MOREAU, J. and FAIVRE, B. Sensitive measure of prevalence and parasitaemia of haemosporidia from European blackbird (*Turdus merula*) populations: value of PCR-RFLP and quantitative PCR 685

WONG, P. H. P. and ONG, C. S. L. Molecular characterization of the *Cryptosporidium* cervine genotype 693

MORRIS, D. J. and ADAMS, A. Transmission of *Tetracapsuloides bryosalmonae* (Myxozoa: Malacosporea), the causative organism of salmonid proliferative kidney disease, to the freshwater bryozoan *Fredericella sultana* 701

CLEMENTS, A. C. A., MOYEED, R. and BROOKER, S. Bayesian geostatistical prediction of the intensity of infection with *Schistosoma mansoni* in East Africa 711

MILETTI, L. C., KOERICH, L. B., PACHECO, L. K., STEINDEL, M. and STAMBUK, B. U. Characterization of D-glucose transport in *Trypanosoma rangeli* 721

ROCHA, N. N., GARCIA, S., GIMÉNEZ, L. E. D., HERNÁNDEZ, C. C. Q., SENRA, J. F. V., LIMA, R. S., CYRINO, F., BOUSKELA, E., SOARES, M. B. P., RIBEIRO DOS SANTOS, R. and CAMPOS DE CARVALHO, A. C. Characterization of cardiopulmonary function and cardiac muscarinic and adrenergic receptor density adaptation in C57BL/6 mice with chronic *Trypanosoma cruzi* infection 729

FESSL, B., SINCLAIR, B. J. and KLEINDORFER, S. The life-cycle of *Philornis downsi* (Diptera: Muscidae) parasitizing Darwin's finches and its impacts on nestling survival 739

OTTERSTATTER, M. C. and THOMSON, J. D. Within-host dynamics of an intestinal pathogen of bumble bees 749

CHAITHIRAYANON, K., GRAMS, R., VICHASRI-GRAMS, S., HOFMANN, A., KORGE, G., VIYANANT, V., UPATHAM, E. S. and SOBHON, P. Molecular and immunological characterization of encoding gene and 14-3-3 protein 1 in *Fasciola gigantica* 763

VISSER, A., GELDHOF, P., DE MAERE, V., KNOX, D. P., VERCRUYSSE, J. and CLAEREBOUT, E. Efficacy and specificity of RNA interference in larval life stages of *Ostertagia ostertagi* 777

NAGANO, I., WU, Z. and TAKAHASHI, Y. Molecular cloning and characterization of an Rcd1-like protein in excretory-secretory products of *Trichinella pseudospiralis* 785